according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Scott® Control™ Alcohol Foam Hand Sanitiser

Product code : 6392, 6393

UFI : CTY3-G3HA-E00Q-AH7W

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Hand Sanitizer, Biocidal product

stance/Mixture

Recommended restrictions

on use

For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier : Kimberly-Clark Europe Limited

Address : Walton Oaks, Dorking Road

Tadworth

Surrey KT20 7NS United Kingdom

Telephone : +44 1737 736000

E-mail address of person responsible for the SDS

: sdscontact@kcc.com

1.4 Emergency telephone number

Emergency telephone num-

: +44 1235 239670 (24/7 Service)

ber

Poison Center Name : NHS 111
Poison Center Telephone : 111

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour. Eye irritation, Category 2 H319: Causes serious eye irritation.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

Hazard pictograms :





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

Response:

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

ter for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### Components

Odniponenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Ethanol	64-17-5	Flam. Liq. 2; H225	>= 70 - < 90
	200-578-6	Eve Irrit. 2: H319	

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

	603-002-00-5		
propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 1 - < 10
	200-661-7	Eye Irrit. 2; H319	
	603-117-00-0	STOT SE 3; H336	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : Not required under normal use.

In case of skin contact : No hazards which require special first aid measures.

In case of eye contact  $\hspace{1cm}$ : Immediately flush eye(s) with plenty of water.

If eye irritation persists, consult a specialist.

If swallowed : DO NOT induce vomiting unless directed to do so by a physi-

cian or poison control center.

# 4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

#### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

Revision Date: Date of last issue: 23.12.2022 Version SDS Number: 0.0 00.00.0000 100000047716 Date of first issue: 26.07.2022

cumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Not required under normal use.

6.2 Environmental precautions

**Environmental precautions** Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Contain spillage, and then collect with non-combustible ab-

> sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling

Advice on protection against :

fire and explosion

For personal protection see section 8.

Keep away from open flames, hot surfaces and sources of

ignition.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep container tightly closed in a dry and well-ventilated

place.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) Biocidal product

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm	GB EH40

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

			1,920 mg/m3	
	Further information: Where no specific short-term exposure limit is listed, a			
	figure three times the long-term exposure limit should be used.			
propan-2-ol	ISOPROPY	TWA	400 ppm	GB EH40
	L ALCOHOL		999 mg/m3	
		STEL	500 ppm	GB EH40
			1,250 mg/m3	

#### 8.2 Exposure controls

### Personal protective equipment

Eye protection : Avoid contact with eyes.

Hand protection

Remarks : Not required under normal use
Skin and body protection : Not required under normal use.
Respiratory protection : Not required under normal use.

Protective measures : No special protective equipment required.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : transparent
Odour : alcohol-like

Melting point/freezing point : No information available.

Boiling point/boiling range : No information available.

Flash point : < 20 °C

Auto-ignition temperature : No data available

pH : 6.5 - 7.5

Solubility(ies)

Water solubility : partly miscible

Partition coefficient: n-

octanol/water

No information available.

Vapour pressure : No information available.

Relative density : No information available.

Density : 0.86 g/cm3 (25 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : No data available

#### 9.2 Other information

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

Evaporation rate : No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No data available

### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

#### Components:

Ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10,470 mg/kg

Method: OECD Test Guideline 401

GLP: no

LD50 Oral (Rat): 7,060 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l

Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: no

propan-2-ol:

Acute oral toxicity : LD50 Oral (Rat): 5,840 mg/kg

Method: OECD Test Guideline 401

GLP: no

Remarks: See User Free Text

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

LD50 Oral (Rat): 1,870 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 10000 ppm

Exposure time: 6 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: yes

LC50 (Rat): 72,600 mg/m3

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): 12,800 mg/kg

Method: OECD Test Guideline 402

GLP: no

Remarks: See User Free Text

LD50 Dermal (Rabbit): 4,059 mg/kg

#### Skin corrosion/irritation

**Product:** 

Remarks : May cause skin irritation in susceptible persons.

#### **Components:**

**Ethanol:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

propan-2-ol:

Species : Rabbit Exposure time : 4 hrs

Method : No information available.

Result : No skin irritation

GLP : no

Remarks : See User Free Text

# Serious eye damage/eye irritation

**Product:** 

Remarks : May cause irreversible eye damage.

#### **Components:**

**Ethanol:** 

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

GLP : no

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

propan-2-ol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

GLP : no

### Respiratory or skin sensitisation

### **Components:**

**Ethanol:** 

Species : Mouse

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 429

Result : Did not cause sensitisation on laboratory animals.

GLP : no

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : Solvents may degrease the skin.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

### **Components:**

**Ethanol:** 

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Pimephales promelas (fathead minnow)): 13,400 -

15,100 mg/l

Exposure time: 96 h

Test Type: flow-through test

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h Test Type: static test

LC50 (Daphnia magna (Water flea)): 9,268 - 14,221 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 275

mg/l

Exposure time: 72 h Test Type: static test

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: no

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: no

LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h

Test Type: flow-through test

LC50 (Pimephales promelas (fathead minnow)): 11,130 mg/l

Exposure time: 96 h Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,400,000

µg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9,714 mg/l

Exposure time: 24 h Test Type: static test

Method: OECD Test Guideline 202

GLP: no

EC50 (Daphnia magna (Water flea)): 13,299 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC10 (Scenedesmus quadricauda (Green algae)): 1,800 mg/l

End point: See User Free Text

Exposure time: 168 h

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

Test Type: static test Analytical monitoring: no Method: See User Free Text

GLP: no

EC50 (Desmodesmus subspicatus (green algae)): > 1,000

mg/l

Exposure time: 96 h

EC50 (Desmodesmus subspicatus (green algae)): > 1,000

mg/l

Exposure time: 72 h

# 12.2 Persistence and degradability

#### **Components:**

**Ethanol:** 

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Biodegradation: 97 % Exposure time: 28 d

Remarks: Readily biodegradable, according to appropriate

OECD test.

propan-2-ol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, adapted

Biodegradation: 53 %

Related to: Chemical oxygen demand

Exposure time: 5 d

Remarks: Readily biodegradable, according to appropriate

OECD test.

#### 12.3 Bioaccumulative potential

# **Components:**

**Ethanol:** 

Bioaccumulation : Bioconcentration factor (BCF): 0.66

Remarks: No bioaccumulation is to be expected (log Pow <=

4).

propan-2-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <=

4).

### 12.4 Mobility in soil

#### **Components:**

Ethanol:

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

Stability in soil : Remarks: Not expected to adsorb on soil.

propan-2-ol:

Stability in soil : Remarks: Adsorbs on soil.

### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

**Components:** 

**Ethanol:** 

Assessment : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

(vPvB)..

propan-2-ol:

Assessment : This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating

(vPvB)..

#### 12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

**Product:** 

Additional ecological

information

: No data available

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14: Transport information**

14.1 UN number or ID number

 ADR
 : UN 1987

 IMDG
 : UN 1987

 IATA (Cargo)
 : UN 1987

14.2 UN proper shipping name

ADR : ALCOHOLS, N.O.S.

(Ethanol, Isopropanol)

**IMDG** : ALCOHOLS, N.O.S.

(Ethanol, Isopropanol)

IATA (Cargo) : Alcohols, n.o.s.

(Ethanol, Isopropanol)

14.3 Transport hazard class(es)

 ADR
 : 3

 IMDG
 : 3

 IATA (Cargo)
 : 3

14.4 Packing group

ADR

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

**IMDG** 

Packing group : III
Labels : 3
EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo

366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Class 3 - Flammable liquids

14.5 Environmental hazards

ADR

Environmentally hazardous : no

**IMDG** 

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

Marine pollutant : no

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

#### 15.2 Chemical safety assessment

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225
H319
Causes serious eye irritation.
H336
May cause drowsiness or dizziness.

#### Full text of other abbreviations

Eye Irrit. : Eye irritation Flam. Lig. : Flammable liquids

STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - In-

according to Regulation (EC) No. 1907/2006



# Scott® Control™ Alcohol Foam Hand Sanitiser

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.12.2022

 0.0
 00.00.0000
 100000047716
 Date of first issue: 26.07.2022

ternational Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### Classification of the mixture:

#### Classification procedure:

Flam. Liq. 2 H225 Based on product data or assessment

Eye Irrit. 2 H319 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN