

PORTWEST®

PRODUCT SPECIFICATION & TECHNICAL DATA

A146 - Arctic Winter Glove

Collection: Thermal Protection Gloves

Range: Gloves

Materials: Nylon, Nitrile Sandy

Dipping: Nitrile Sandy

Inner Pack: 12

Outer Carton: 144

Product information

The latest development in hand protection. Twin liner traps in heat with a 3/4 dipping to keep hands dry. Soft nitrile foam dipping offers full protection to the fingers. Open back for breathability.



Thermal Protection Gloves

When cold thermal hazards are present, the hands' motor skills can be greatly reduced, this leads to increased risks of accidents and injury. Specially designed thermal protective gloves are available to combat these hazardous environments.

Gloves

A wide and increasing range of Hand Protection styles is available. In order to help cater to every need. Only the best materials and manufacture methods are used in the production of Portwests' extensive range of Hand Protection products.

Standards

AS/NZS 2161 .2
AS/NZS 2161 .3
AS/NZS 2161 .5
ANSI/ISEA 105 - 2016 CUT Level (A2)
EN 420
EN 388 (4.1.4.1.)
EN 511 (0.2.X.)



Features

- CE certified
- Specially designed for use in cold conditions
- Twin liner traps in heat through increased insulation
- Flexible sandy nitrile coating offers great grip in wet and dry conditions
- 3/4 dipped for increased protection
- 100% Breathable seamless liner
- 15 gauge liner for extra dexterity
- Retail tag which aids presentation for retail sales
- Superb abrasion and tear resistance
- 15 gauge liner for extra dexterity

Colours

	Range
Black	L/9 - XXL/11
Yellow/Black	M/8 - XXL/11

PORTWEST®

PRODUCT SPECIFICATION & TECHNICAL DATA

A146 - Arctic Winter Glove Commodity Code: 6116108000

Test House

SATRA (Notified Body No.: 0321)

SATRA Technology Park

NN16 8SD, UK

Cert No: 5679 Issue 1

Item	Colour	Len	Wid	Hgt	Weight (Kg)	Cubic (m ³)	EAN13	DUN14
A146BKRL	Black	60.0	43.0	40.0	0.1200	0.1032	5036108199334	15036108685100
A146BKRXL	Black	60.0	43.0	40.0	0.1200	0.1032	5036108199341	15036108685117
A146BKRXXL	Black	60.0	43.0	40.0	0.1400	0.1032	5036108199358	15036108685124